

Beverly

Born with a purpose

Beverly is designed for dissolved oxygen measurement in at-line and laboratory use in small and midsize breweries as well as in the beverage industry to provide excellent reliability in a rugged design, and purpose built to handle the environmental extremes encountered in everyday brewing operations.

Superior performance at an affordable price is achieved using Hamilton's best in class optical sensor VisiFerm DO with built-in intelligence, making Beverly the brewer's best friend.

Benefits

- ▶ Efficiency and serviceability of optical DO measurement
- ▶ Built to endure IP 67 watertight standards
- ▶ Robust, hygienic design
- ▶ Stamina for 50 hours of continuous operation
- ▶ Fast response time down to ppb level
- ▶ Calibration without removing the sensor




HAMILTON 


Portable Dissolved Oxygen (DO) Measurement

Beverly can be used as shown in the pictures.

Check DO of bright beer tank prior to bottling



Measure DO during or after filtration



Measure DO in the bottle or can



Check DO of empty bright beer tank



Technical Specifications

| Description | Value |
|---------------------------|---|
| Measuring Range | 4 ppb – 25 ppm (DO) |
| Accuracy at 25°C | 40 +/- 7 ppb (temperature dependent) |
| Measurement Principle | Oxygen dependent luminescence quenching |
| Protection Classification | IP 67 |
| Operating Temperature | 0 – 80 °C (media) |
| Pressure Range | 0 – 10 bar |
| Dimensions (B x W x H) | 222 x 142 x 322 mm |

Ordering Information

| Type | Ref |
|---------|--------|
| Beverly | 817100 |

GRACE

HAMILTON

Australian Hamilton Distributor:

Grace Discovery Sciences
40 Scanlon Drive Epping Vic 3076

For more information or to request a demo in your brewery contact:

Gina Vello | Gina.Vello@grace.com | M 0403 890 892